

EMULSIONS

MS-1

Product Data Sheet Typical Analysis and Specifications



Last Revised: January 2016

Supply Point: Acheson

Test	Units	ASTM	Specification*		Typical Analyses
			Min.	Max.	
Density		D6937	--	--	1.010
Viscosity at 25°C (SF)	s	D7496	20	100	30
Residue by distillation	% by mass	D6997	55	--	62.0
Sieve test	% by mass	D6933	--	0.10	0.01
24 hr. Storage Stability test	% by mass	D6930	--	1.0	0.35
Particle charge test		D7402			Negative
Tests on Residue					
Penetration at 25°C ,100g	mm/10	D5	100	200	135
Ductility at 25°C, 5cm/min	cm	D113	60	--	60+
Solubility in TCE	%	D2042	97.50	--	99.99

For assistance and general inquires please contact our help line at 1-855-777-1550 or info@colasphalt.ca
Visit us at www.colasphalt.ca

